







FDA

NATIONAL BLUEPRINT FOR ACTION: YOUTH AND FDA YOUNG ADULT TOBACCO-USE CESSATION

- · Based on outcomes of a youth cessation conference sponsored by the CDC
- "Young tobacco users" defined as 12-24 years old
- · Developed as a consensus document to:
- guide YTCC activities
- guide decisions regarding funding research and programs related to vouth tobacco-use cessation
- reflect common goals and objectives among national organizations that fund such efforts
- help ensure that funding plans and programs across organizations build the strongest possible national efforts to support youth cessation

6 May 15, 2019 | YTCC Blueprint for Action

Youth as a eterogenous population Public at-large 7 May 15, 2019 | YTCC Blueprint for Action

7

FIVE TARGET AUDIENCES

Biomedical and behavioral research

community

Decision-makers

munit\

6



8

BLUEPRINT GOALS: RESEARCH

- · Increase understanding of youth tobacco experimentation, use, addiction, and cessation
- Increase national and state-based surveillance of youth cessation behavior and use of treatments and services
- Develop and test tobacco-use treatment programs, services, and interventions for youth
- Develop a basic infrastructure for youth tobacco-use cessation research and it's translation into practice, including
- Common taxonomy, standards of effectiveness, practice guidelines - Collaboration on a prioritized research agenda
- 10 May 15, 2019 | YTCC Blueprint for Action


	FD	A
BLUEPRINT GO	ALS AND EXAMPLE OBJECTIVES*	
* Plei 9 May 15, 2019 YTCC Blueprint for Ac	ase see <u>www.youthtobaccocessation.org/</u> for full list of objective:	s

EXAMPLE* RESEARCH OBJECTIVES FOR EACH FDA GOAL

- Biobehavioral models and addiction
- "...develop and modify measures of youth tobacco use, addiction, and cessation outcomes"
- Surveillance
- "...state and national surveys of youth tobacco use and cessation."
- Intervention research
- "Develop consensus on the criteria for best practices in new interventions.
- "...develop and modify procedures for recruiting and retaining youth into cessation programs"
- Infrastructure
 - "Disseminate standard measures of use, addiction, and cessation
- outcomes as they are developed for youth." * Please see <u>www.youthtobaccocessation.org</u>/ for full list of objectives 11 May 15, 2019 | YTCC Blueprint for Action
- 11


FDA

BLUEPRINT GOALS: IMPLEMENTATION	EXAMPLE* IMPLEMENTATION OBJECTIVES FOR FDA
 Increase access to effective science-based tobacco-use cessation Interventions and services appropriate for youth. Increase the capacity and capability to deliver effective youth tobacco-use cessation interventions and services. 	 Increasing access to effective interventions "Develop and promote the use of quality control strategies in the delivery of cessation interventions. Investigate the value and process for establishing accreditation programs." "Establish formal clinical practice guidelines for youth tobacco-use cessation." Building infrastructure "Establish and continue to support mechanisms and partnerships to infuse new interventions into the marketplace as they become available." "Establish standard definitions of program effectiveness and guidelines for best practices which, among other things, address cultural and developmental appropriateness" "Please see www.youthtobaccocessation.org/ for full list of objectives
12 May 15, 2019 YTCC Blueprint for Action	13 May 15, 2019 YTCC Blueprint for Action



14









"Develop, market, and track the effects of messages through mass media and other channels to raise awareness"

* Please see www.youthtobaccocessation.org/ for full list of objectives







 PROGRESS: SUPPORT AND DEMAND

 Image: Support of the policies and environments that support youth tobacco-use cessation.

 Image: Increase support for youth tobacco-use cessation among providers, decision-makers, and community gatekeepers.

 Image: Increase public and peer support for youth tobacco-use cessation in cessation, and generate interest and participation in cessation attempts among young tobacco users.



